

NEMA ICS 7.2-2015

Application Guide for AC Adjustable Speed Drive Systems



NEMA Standards Publication ICS 7.2-2015

Application Guide for AC Adjustable Speed Drive Systems

Published by

National Electrical Manufacturers Association

1300 North 17th Street, Suite 900

Rosslyn, VA 22209

www.nema.org

© 2015 National Electrical Manufacturers Association. All rights, including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American copyright conventions.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

NEMA standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process and establishes rules to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications. NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, express or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health- or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

Foreword

This guide was developed by the Motor and Generator Section and the Industrial Automation Control Products and Systems Section and approved for publication as an application guide of the National Electrical Manufacturers Association. This guide is intended to assist users in the proper selection and application of AC adjustable speed drive systems. The guide is revised periodically to provide for changes in user needs, advances in technology, and changing economic trends. All persons having experience in the selection, use, or manufacture of electric motors and adjustable speed drives are encouraged to submit recommendations that will improve the usefulness of this guide. Inquiries, comments, and proposed or recommended revisions should be submitted to the Motor and Generator Section and the Industrial Automation Control Products and Systems Section by contacting:

Senior Technical Director, Operations
National Electrical Manufacturers Association
1300 North 17th Street, Suite 900
Rosslyn, VA 22209

The best judgment of the Motor and Generator Section and the Industrial Automation Control Products and Systems Section on the performance and construction of adjustable speed drive systems is represented in this guide. The guide is based upon sound engineering principles, research, and records of test and field experience. Also involved is an appreciation of the problems of manufacture, installation, and use derived from consultation with and information obtained from manufacturers, users, inspection authorities, and others having specialized experience. For systems intended for general applications, the individual companies through normal commercial contact determined information as to user requirements. Practical information concerning performance, safety, test, construction, and manufacture of adjustable speed drive systems is provided in this guide.

In the preparation and revision of these standards, consideration has been given to the work of other organizations whose standards are in any way related to adjustable speed drive systems. Credit is hereby given to all whose standards may have been helpful in the preparation of this volume.

This application guide was developed jointly by the Industrial Automation Control Products and Systems Section and the Motor and Generator Section. Section approval of the guide does not necessarily imply that all section members voted for its approval or participated in its development. At the time this guide was approved, the Industrial Automation Control Products and Systems Section was composed of the following members:

ABB Control, Inc.—Wichita Falls, TX
ALSTOM Power Conversion—Pittsburgh, PA
Automatic Switch Company—Florham Park, NJ
Balluff, Inc.—Florence, KY
CARLO GAVAZZI, Inc.—Buffalo Grove, IL
CMC Torque Systems—Billerica, MA
Control Concepts Corporation—Beaver, PA
Cooper Bussmann—St. Louis, MO
Cummins, Inc.—Minneapolis, MN
Cyberex LLC—Mentor, OH
Eaton Corporation—Milwaukee, WI
Echelon Corporation—Sunnyvale, CA
Electro Switch Corporation—Weymouth, MA
Elliott Control Company—Hollister, CA
Emerson Process Management—Austin, TX

Entrelec, Inc.—Irving, TX
GE Industrial Systems—Charlottesville, VA
Hubbell Incorporated—Madison, OH
Joslyn Clark Controls, Inc.—Lancaster, SC
Lexington Switch & Controls—Madison, OH
Lincoln Electric—Cleveland, OH
Master Control Systems, Inc. —Lake Bluff, IL
Metron, Inc.—Denver, CO
Mitsubishi Electric Automation, Inc.—Vernon Hills, IL
Moeller Electric Corporation—Franklin, MA 02038
Omron Electronics LLC—Schaumburg, IL
Peerless-Winsmith, Inc.—Warren, OH
Pepperl + Fuchs, Inc.—Twinsburg, OH
Phoenix Contact, Inc.—Harrisburg, PA
Pittman, A Div of Penn Engineering & Mfg Corporation—Harleysville, PA
Post Glover Resistors, Inc.—Erlanger, KY
R. Stahl Inc.—Salem, NH
Reliance Controls Corporation—Racine, WI
Robert Bosch Corporation—Avon, CT
Rockwell Automation—Milwaukee, WI
Russelectric, Inc.—Hingham, MA
Schneider Automation, Inc.—No. Andover, MA
SEW-Eurodrive, Inc.—Lyman, SC
Siemens Corporate Research—Princeton, NJ
Siemens Energy & Automation, Inc.—Batavia, IL
Square D Company—Raleigh, NC
Texas Instruments, Inc.—Attleboro, MA
Torna Tech Inc.—St. Laurent, QC
Toshiba International Corporation—Houston, TX
Total Control Products, Inc.—Terrace Park, OH
Turck, Inc.—Plymouth, MN
Tyco Electronics/AMP—Harrisburg, PA
WAGO Corporation—Germantown, WI
Weidmuller Inc.—Richmond, VA
Yaskawa Electric America, Inc.—Waukegan, IL

The Motor and Generator Section was composed of the following members:

A.O. Smith Electrical Products Co.—Tipp City, OH
Ametek Incorporated—Kent, OH
Brook Crompton North America—Arlington Heights, IL
Cummins, Inc.—Minneapolis, MN
Emerson Electric Company—St. Louis, MO
GE Industrial Systems—Ft Wayne, IN
Howell Electric Motors—Plainfield, NJ
Peerless-Winsmith, Inc.—Warren, OH
Regal-Beloit Corporation—Grafton, WI
Rockwell Automation—Milwaukee, WI
SEW-Eurodrive, Inc.—Lyman, SC
Siemens Energy & Automation, Inc.—Norwood, OH
Sterling Electric, Inc.—Irvine, CA
TECO-Westinghouse Motor Co.—Round Rock, TX
The Imperial Electric Company—Akron, OH
Toshiba International Corporation—Houston, TX
WEG Electric Motor Corp.—Suwanee, GA

Contents

Foreword	i
Section 1 SCOPE	1
Section 2 REFERENCED STANDARDS	2
2.1 REFERENCED NEMA STANDARDS	2
2.1.1 MG1-2011 Motors and Generators	2
2.1.2 ICS 1-2000 Industrial Control and Systems: General Requirements.....	2
2.1.3 ICS 7-2006 Industrial Control and Systems Adjustable-Speed Drives.....	2
2.1.4 ICS 7.1-2006 Safety Standards for Construction and Guide for Selection, Installation, and Operation of Adjustable Speed Drive Systems	2
2.1.5 NEMA 250-2008 Enclosures for Electrical Equipment (1,000 Volts Maximum)	2
Section 3 DEFINITIONS	4
Section 4 DESCRIPTION OF SYSTEM COMPONENTS	9
4.1 LOAD TYPES.....	9
4.1.1 Variable Torque	9
4.1.2 Constant Torque	10
4.1.3 Constant Horsepower	12
4.2 MOTOR TYPES	13
4.2.1 General	13
4.2.2 Design A.....	13
4.2.3 Design B.....	14
4.2.4 Design C	14
4.2.5 Design D	15
4.2.6 Definite-Purpose Inverter-Fed.....	15
4.3 CONTROL TYPES	16
4.3.1 Typical Power Ratings.....	16
4.3.2 Control Methods.....	16
4.3.3 PWM Techniques	17
Section 5 DESCRIPTION OF COMPONENT INTERACTIONS	18
5.1 INTERACTION BETWEEN LOAD AND MOTOR	18
5.1.1 Service Factor	18
5.1.2 Maximum Safe Operating Speed	18
5.1.3 Overspeed Capability.....	18
5.1.4 Direction of Rotation.....	20
5.2 INTERACTION BETWEEN MOTOR AND CONTROL.....	21
5.2.1 Thermal Considerations	21
5.2.2 Power Factor Correction and Surge Protection	27
5.2.3 Speed Range	27
5.2.4 Acceleration Time.....	28
5.2.5 Deceleration Time/Internal Motor Braking.....	28
5.2.6 Reversal	29
5.2.6 Stability.....	29

5.2.8	Bypass	30
5.2.9	Motor Terminal Voltage Transients.....	30
5.2.10	Shaft Voltage and Bearing Currents	36
5.2.11	Load Reactors and Filters	41
5.2.12	Multiple Motors.....	41
5.2.13	Pole Count	42
5.2.14	Connecting High Voltage to the Low Voltage Connection of a Dual Voltage General-Purpose Motor.....	42
5.3	INTERACTION BETWEEN CONTROL AND AC POWER LINE.....	43
5.3.1	Source Impedance/Short-circuit Ampere Interrupting Capacity (AIC) Ratings.....	43
5.3.2	Line Variations.....	44
5.3.3	AC Line Power Factor	44
5.3.4	Line Harmonic Currents—Adjustable Frequency Control Created	45
5.3.5	Control Protection	47
5.4	DRIVE SYSTEM INTERACTIONS.....	48
5.4.1	Efficiency.....	48
5.4.2	Sound, Vibration, Resonance	49
5.4.3	Grounding	49
5.4.4	Power Cable Selection.....	50
5.4.5	Electromagnetic Compatibility (EMC)	53
Section 6	SELECTION OF MOTOR AND CONTROL BY APPLICATION.....	55
6.1	APPLICATION INFORMATION.....	55
6.2	MOTOR SELECTION	55
6.2.3	Determine Motor Enclosure Requirements	55
6.2.2	Determine Motor Torque and Speed Requirements.....	56
6.2.3	Determine Accelerating and Decelerating Requirements (Time and Load).....	57
6.2.4	Overload Capability.....	58
6.2.5	Determine Type of Duty	58
6.2.6	Other Considerations	59
6.3	CONTROL SELECTION	59
6.3.2	Control and Motor Voltage Considerations	60
6.3.3	Control HP/Current Rating Considerations	60
6.3.4	Control Enclosure Considerations.....	61
6.3.5	Speed Range and Regulation Considerations	62
6.3.6	Bypass Operation Considerations.....	63
6.3.7	Acceleration Time Considerations.....	63
6.3.8	Deceleration and Braking.....	64
6.3.9	Line Harmonic Voltage and Current Considerations	65
6.4	VARIABLE TORQUE APPLICATION	65
6.4.1	Motor Selection	65
6.4.2	Control Selection.....	66
6.5	CONSTANT TORQUE APPLICATION.....	66
6.5.1	Motor Selection	66
6.5.2	Control Selection.....	67

6.6	CONSTANT HORSEPOWER APPLICATION	68
6.6.1	Motor Selection	68
6.6.2	Control Selection.....	70
6.7	LOOP POSITION AND TENSION CONTROL SYSTEMS	70
6.7.1	General	70
6.7.2	Characteristics and Ratings	70
6.7.3	Application.....	74
6.8	WIND AND UNWIND DRIVE SYSTEMS	75
6.8.1	General	75
6.8.2	Application.....	75
Section 7	MEASUREMENTS/INSTRUMENTATION	77
7.1	GENERAL.....	77
7.2	PARAMETER MEASUREMENTS.....	77
Section 8	SAMPLE ASD APPLICATION DATA FORM.....	78
8.1	APPLICATION.....	78
8.2	MOTOR.....	79
8.3	CONTROL.....	79
8.4	MOTOR ENVIRONMENT	80
8.5	CONTROL ENVIRONMENT	80
8.6	CONNECTION	80
8.7	OTHER.....	81
ANNEX A		82
ANNEX B		86
INDEX		87

Tables

Table 5-1	Maximum Safe Operating Speed for Standard Design A and B Direct Drive(Ts Shaft for Motors Above the 250 Frame) Squirrel-Cage Induction Motors.....	19
Table 5-2	Overspeed Capability of General-Purpose Motors	20
Table 5-3	Overspeed Capability of Definite-Purpose Inverter-Fed Motors	20
Table 5-4	Temperature Rise for General-Purpose Motors—Designs A, B, C, and D.....	23
Table 5-5	Temperature Rise for Continuous Duty Definite-Purpose Inverter-Fed Motors	24
Table 5-6	Temperature Rise for Definite-Purpose Inverter-Fed Motors	24
Table 5-7	Ambient Temperature at Altitudes for Rated Temperature Rise	26
Table 5-8	Characteristics of the Three Controls.....	35
Table 5-9	Minimum AIC Ratings	43
Table 6-1	Constant And Variable Torque Speed Range Examples (Base Speed = 2,500 Rpm)	56
Table 6-2	Constant Horsepower Speed Range Examples (Base Speed = 2,500 Rpm).....	57
Table 6-3	Control Performance Considerations.....	60
Table 6-4	Torque Control Operating Variables and Deviation Bands.....	71
Table 6-5	Constant-Force Loop Position Operating Variables and Deviation Band.....	72
Table 6-7	Tension Control Operating Variables and Deviation Bands	73
Table 6-8	Table Format for Line Speed and Tension Data.....	76
Table 7-1	Recommended Instrumentation for Parameter Measurement.....	77

Figures

Figure 3-1	Operating Loop Travel	7
Figure 3-2	Center Winder (Unwinder)	8
Figure 3-3	Surface Winder	8
Figure 4-1	Squared Torque Variation.....	9
Figure 4-2	Linear Torque Variation	10
Figure 4-3	Constant Torque Load.....	11
Figure 4-4	Duty Cycles.....	11
Figure 4-5	Impact Load	12
Figure 4-6	Constant Horsepower Load	13
Figure 4-7	Typical Motor Speed Torque Curves.....	14
Figure 4-8	Basis of Rating.....	15
Figure 5-1	Load Cycle Based On Temperature and Time of Operation	25
Figure 5-2	Constant Horsepower Load	28
Figure 5-3	Typical Voltage Response at Motor Terminals	31
Figure 5-4	Peak Voltage Categories When Using 65ns Rise Time Pulse	34

Figure 5-5	Peak Voltage Categories When Using 160ns Rise Time Pulse	34
Figure 5-6	Test Results of Peak Motor Voltage Based Upon Lead Length for a Five-Horsepower Motor	35
Figure 5-7	Test Results of Peak Motor Voltage Based Upon Switching Frequency for a Five-Horsepower Motor (Lead Length Of 100 Feet)	36
Figure 5-9	Electrical Arc Pit Located on the Inner Raceway of Bearing	37
Figure 5-10	Electric Machine Showing Parasitic Couplings	39
Figure 5-11	Common Mode Basic Circuit	40
Figure 5-12	Shaft Voltage Without Bearing Current 10v/div 25 μ s/div	40
Figure 5-13	Shaft Voltage Top 25v/div 5 μ s/div and Bearing Current Bottom 500ma/div 5 μ s/div	41
Figure 5-14	Types of Drive Power Cables.....	53
Figure 6-1	A Motor Design Where the Voltage and Torque Corner Points Are the Same	69
Figure 6-2	A Motor Design Where the Torque Corner Point Is at a Lower Rpm Than the Voltage Corner Point. Base Speed Is at the Torque Corner Point	69
Figure 6-3	Torque Control Systems.....	71
Figure 6-4	Constant Force Loaded Loop—Position Control System	72
Table 6-6	Loop Operation Operating Variables and Deviation Bands.....	72
Figure 6-5	Hanging and Storage Loop Control System	73
Figure 6-6	Tension Feedback Control System	74
Figure 30-2	The Effect of Reduced Cooling on the Torque Capability at Reduced Speeds of 60 Hz NEMA Design A and B Motors	83
Figure 30-3	Examples of Torque Derating of NEMA Motors When Used with Adjustable Frequency Controls.....	84
Figure 30-4	Torque Capability Above Base Speed.....	85
Figure 31-1	Basis Of Rating	86

< This page intentionally left blank. >

Section 1

SCOPE

This guide covers AC electrical drive systems, rated 600 volts or less, consisting of three-phase induction motors, voltage-source pulse-width modulated adjustable frequency controls, and associated components. The guide addresses common issues that should be considered in the selection of drive system components and the installation and application of the drive system.