

NEMA MG 2-2001 Rev 1-2007

---

# Safety Standard for Construction and Guide for Selection, Installation and Use of Electric Motors and Generators



**NEMA MG 2-2001**  
**Revision 1, 2007**

**SAFETY STANDARD AND  
GUIDE FOR SELECTION,  
INSTALLATION, AND USE  
OF ELECTRICAL MOTORS  
AND GENERATORS**



**NEMA Standards Publication MG 2-2001 Revision 1, 2007**

*Safety Standard and Guide for Selection, Installation, and Use of  
Electric Motors and Generators*

*Published by*

**National Electrical Manufacturers Association**

1300 North 17th Street, Suite 1752  
Rosslyn, Virginia 22209

[www.nema.org](http://www.nema.org)

© Copyright 2007 by the National Electrical Manufacturers Association. All rights including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

## NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

The National Electrical Manufacturers Association (NEMA) standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process and establishes rules to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer's or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

## CONTENTS

	Foreword .....	iv
<b>Section 1</b>	<b>SCOPE .....</b>	<b>1</b>
<b>Section 2</b>	<b>REFERENCED STANDARDS AND DEFINITIONS .....</b>	<b>2</b>
<b>Section 3</b>	<b>GENERAL .....</b>	<b>3</b>
<b>Section 4</b>	<b>ENVIRONMENTAL PROTECTION AND METHODS OF COOLING .....</b>	<b>4</b>
4.1	Open Machine (IP00, IC01).....	4
4.1.1	Drip-proof Machine (IP12, IC01) .....	4
4.1.2	Splash-Proof Machine (IP13, IC01) .....	4
4.1.3	Semi-Guarded Machine (IC01) .....	4
4.1.4	Guarded Machine (IC01).....	4
4.1.5	Dripproof Guarded Machine (IC01).....	4
4.1.6	Open Independently Ventilated Machine (IC06).....	5
4.1.7	Open Pipe-Ventilated Machine .....	5
4.1.8	Weather-Protected Machine .....	7
4.2	Totally Enclosed Machine .....	7
4.2.1	Totally Enclosed Nonventilated Machine (IC410).....	7
4.2.2	Totally Enclosed Fan-Cooled Machine .....	7
4.2.3	Totally Enclosed Fan-Cooled Guarded Machine (IC411).....	7
4.2.4	Totally Enclosed Pipe-Ventilated Machine (IP44).....	7
4.2.5	Totally Enclosed Water-Cooled Machine (IP54).....	7
4.2.6	Water-Proof Machine (IP55) .....	8
4.2.7	Totally Enclosed Air-to-Water-Cooled Machine (IP54).....	8
4.2.8	Totally Enclosed Air-to-Air-Cooled Machine (IP54) .....	8
4.2.9	Totally Enclosed Air-Over Machine (IP54, IC417).....	8
4.2.10	Explosion-Proof Machine* .....	8
4.2.11	Dust-Ignition-Proof Machine** .....	8
<b>Section 5</b>	<b>CONSTRUCTION AND TESTS .....</b>	<b>9</b>
5.1	General .....	9
5.2	Corrosion Protection.....	9
5.3	High Potential Testing .....	9
5.3.1	Motors .....	9
5.3.2	Synchronous Generators .....	10
5.3.3	Grounding.....	10
5.3.4	Accessories and Components .....	11
5.3.5	Discharging Windings After Test.....	11
5.3.6	Guarding.....	11
5.4	Thermal Protection .....	11
5.5	Impedance Protection.....	11
5.6	Overspeed .....	11
5.6.1	Induction Motors.....	12
5.6.2	Direct-Current Motors.....	12
5.6.3	Alternating-Current Series and Universal Motors .....	14
5.6.4	Synchronous Motors .....	14
5.6.5	Synchronous Generators .....	14
5.6.6	Direct-Current Generators .....	14
<b>Section 6</b>	<b>SAFETY IN MACHINE APPLICATION .....</b>	<b>15</b>
6.1	Matching of the Machine to the Load .....	15
6.2	Degree of Machine Enclosure .....	15
6.2.1	General.....	15
6.2.2	Application in Residences and in Places Regularly Open to the Public.....	16

6.2.3	Applications in Places Restricted to Persons Employed on the Premises .....	16
6.2.4	Application in Places Accessible Only to Qualified Personnel .....	16
6.2.5	AC Motors For Class I, Division 2, Hazardous Locations .....	19
6.3	Proper Selection of Machines .....	20
6.3.1	Variation From Rated Voltage and Rated Frequency .....	20
6.3.2	Usual Service Conditions .....	23
6.3.3	Unusual Service Conditions .....	24
6.3.4	Speed Limitation .....	24
6.3.5	Operation of Direct-current Motors on Rectified Alternating Current .....	25
6.3.6	Shaft Loading .....	26
6.3.7	Transient Torques .....	26
6.3.8	Torsional Vibration .....	26
6.3.9	Torque Pulsations During Starting of Synchronous Motors .....	27
<b>Section 7</b>	<b>SAFETY IN MACHINE INSTALLATIONS .....</b>	<b>28</b>
7.1	Installation and Protection .....	28
7.2	Grounding .....	28
7.3	Wiring Connections .....	28
7.4	Flammable Materials .....	28
7.5	Rotating Parts .....	29
7.6	Maximum Speed of Drive Components .....	29
7.7	Lifting of Machines .....	29
7.8	Surface Temperatures .....	31
7.9	Hold-down Bolt Sizes .....	31
7.10	Power Factor Correction .....	31
7.11	Starting Current in Induction Motors .....	33
7.11.1	Locked Rotor Current .....	33
7.11.2	Instantaneous Peak Value of Inrush Current .....	33
<b>Section 8</b>	<b>SAFETY IN MACHINE USE .....</b>	<b>36</b>
8.1	Loading .....	36
8.2	Automatic Reset Thermal Protectors .....	36
8.3	Maintenance .....	36
8.4	Repair .....	37
<b>Tables</b>		
1	HIGH-POTENTIAL TEST VOLTAGES FOR UNIVERSAL, INDUCTION, AND DIRECT-CURRENT MOTORS .....	13
2	INDEX OF PROTECTION (IP) .....	17
3	TYPICAL CHARACTERISTICS AND APPLICATIONS OF FIXED FREQUENCY MEDIUM AC SQUIRREL-CAGE INDUCTION MOTORS .....	21
4	MAXIMUM LOCKED ROTOR CURRENT FOR 60-HZ INDUCTION MOTORS AT 230 VOLTS .....	34
5	LOCKED ROTOR kVA/HP .....	35
<b>Figures</b>		
1	PROBE FOR HAZARDOUS ROTATING PARTS .....	5
2	PROBE FOR FILM-COATED WIRE .....	5
3	ARTICULATE PROBE FOR UNINSULATED LIVE METAL PARTS .....	6
4	GENERAL SHAPE OF SPEED-TORQUE CURVES FOR MOTORS WITH NEMA DESIGN A, B, C, AND D IEC DESIGN H AND N .....	22
5	SINGLE LIFTING DEVICE (TYPICAL) .....	30
6	MULTIPLE LIFTING DEVICE (TYPICAL) .....	30
7	SINGLE LIFTING DEVICE (TYPICAL) .....	32
8	MULTIPLE LIFTING DEVICES (TYPICAL) VERTICAL MACHINE .....	32
9	MULTIPLE LIFTING DEVICE (TYPICAL) HORIZONTAL MACHINE .....	32

## Foreword

The use of electric machines, like that of all other utilization of concentrated power, is potentially hazardous. The degree of hazard can be greatly reduced by proper design, selection, installation, and use, but hazards cannot be completely eliminated. The reduction of hazard is the joint responsibility of the user, the manufacturer of the driven or driving equipment, and the manufacturer of the machine. The words "driven or driving equipment" as used in this publication mean equipment driven by a motor or equipment driving a generator.

This publication is intended to assist the user and the manufacturer of the driven or driving equipment in the selection of machines that have been designed and built to have features that contribute to safety.

The machine manufacturer has little, if any, control over the selection, installation, and use of these machines. Since the reduction of hazards depends greatly on how machines are selected, installed, and used, this publication has been prepared as a guide to assist the user and the manufacturer of the driven or driving equipment in the proper selection, installation, and use of machines. It points out possible hazards and suggests ways and means to reduce them. If the guidelines are followed, the possible hazards and risks of using machines will be reduced.

MG 2-2001, Rev. 1-2007 revises and supersedes MG 2-2001.

This publication is periodically reviewed by the Motor and Generator Section of NEMA for any revisions necessary to keep it up to date with advancing technology. Proposed or recommended revisions should be submitted to:

Vice President, Engineering  
National Electrical Manufacturers Association  
1300 North 17th Street, Suite 1752  
Rosslyn, Virginia 22209

<This page is intentionally left blank.>

## **Section 1**

### **SCOPE**

This publication provides recommendations for the selection, installation, and use of rotating electric machines in such a manner as to provide for the practical safeguarding of persons and property.

Excluded from the scope of this publication are the following:

- a) Welding generators.
- b) Booster, dynamic braking, and absorption type machines.
- c) Isolated electric farm lighting plants.
- d) Variable speed generator equipment for railway passenger cars.
- e) Main propulsion motors, generators, and motor generator sets mounted on railroad and transit locomotives and cars.
- f) Automotive motors, generators, and motor generator sets.
- g) Motors, generators, exciters, and motor generator or exciter sets mounted on airborne craft.
- h) Toy motors and small synchronous motors of the type generally used in household clocks and timing devices.
- i) Additional specific features required in machines for use in hazardous (classified) locations. Such locations might be in mines or in areas defined in the National Electrical Code (ANSI/NFPA 70), Articles 500 through 503.
- j) Machines built to military specifications having requirements which conflict with or override the provisions of this publication.
- k) Machine parts intended for installation in a hermetically sealed enclosure.
- l) Non-salient-pole generators and their exciters.
- m) Generators larger than 10,000 kVA, and their exciters, for hydraulic turbine drive, including reversible motor generator units.
- n) Synchronous condensers, frequency changers, and phase converters.

Since any machine can be installed or operated in such a manner that hazards can occur, compliance with this publication does not by itself assure a safe installation. However, when a machine complying with this publication is properly selected with respect to the driven load and environment, and is installed in accordance with the applicable provisions of national codes and sound local practices, the hazards to persons and property will be reduced.