



**CSA
Group**

C22.2 No. 270-14

Arc fault protective devices



Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

***C22.2 No. 270-14
December 2014***

Title: *Arc fault protective devices*

To register for e-mail notification about any updates to this publication

- go to shop.csa.ca
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2419185**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at csagroup.org/legal to find out how we protect your personal information.

C22.2 No. 270-14
Arc fault protective devices



™A trade-mark of the Canadian Standards Association, operating as "CSA Group"

*Published in December 2014 by CSA Group
A not-for-profit private sector organization
178 Rexdale Blvd., Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at shop.csa.ca
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-77139-931-9

© 2014 CSA Group

*All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Industrial Products	4
Subcommittee on Arc Fault Protective Devices	6
Preface	7
1 Scope	8
2 Reference publications	8
3 Definitions	10
4 Construction	11
4.1 General	11
4.2 Grounding and bonding	12
4.3 Insulation	12
4.4 Accessibility of energized parts	13
4.5 Internal wiring	13
4.6 Field wiring	14
4.7 Cord-connected AFCIs	14
4.8 Spacings	15
4.9 Alternative spacings — Clearances and creepage distances	18
4.10 Operating mechanism	18
4.11 Contacts	19
4.12 Test circuit	19
4.13 Outlet branch circuit type AFCI (OBC AFCI)	19
4.14 AFCIs rated 120/240 V	20
5 Markings	20
5.1 General markings	20
5.2 Installation instructions	22
6 Test requirements	23
6.1 General	23
6.1.1 Test program	23
6.1.2 AFCIs rated 120 V	25
6.1.3 AFCIs rated 120/240 V	25
6.2 Humidity conditioning	25
6.3 Leakage current test	25
6.4 Impact test	27
6.5 Drop test	28
6.6 Voltage surge test	28
6.6.1 General	28
6.6.2 Unwanted tripping test (ring wave)	29
6.6.3 Surge immunity test (combination wave)	31
6.7 Arc detection tests	32
6.7.1 General	32

6.7.2	Arc ignition test	34
6.7.3	Arc interruption test	35
6.7.4	Parallel arc test	36
6.7.5	Arc clearing time test	37
6.8	Unwanted tripping tests	38
6.8.1	General	38
6.8.2	Inrush current	40
6.8.3	Normal operation arcing	42
6.8.4	Non-sinusoidal waveform	46
6.8.5	Crosstalk	47
6.8.6	Multiple loads	49
6.8.7	Lamp burnout (single-pole AFCI)	49
6.9	Operation inhibition tests	49
6.9.1	General testing requirements	49
6.9.2	Signal masking test	49
6.9.3	EMI filter test	51
6.9.4	Receptacle and cord type devices	53
6.9.5	Arc Generating Test	53
6.9.6	Line impedance test	55
6.9.7	Two-pole devices	57
6.10	Dielectric voltage withstand test	57
6.11	Overload and endurance test	58
6.12	Limited short circuit test for cord-connected devices	59
6.13	Normal temperature test	59
6.14	Environmental noise resistance test	59
6.14.1	General	59
6.14.2	Immunity to electrostatic discharge	60
6.14.3	Immunity to radiated electromagnetic fields	60
6.14.4	Immunity to fast transients	60
6.14.5	Immunity to voltage surges	60
6.14.6	Immunity to RF field-induced disturbances	60
6.14.7	Immunity to voltage dips, short interruptions, and voltage variations	60
6.15	Surge current test	61
6.15.1	General	61
6.15.2	Mounting and installation	61
6.15.3	Surge parameters	61
6.15.4	Surge polarity	61
6.16	Abnormal overvoltage tests	61
6.16.1	General	61
6.16.2	Full phase voltage — High current abnormal overvoltage test	62
6.16.3	Limited current abnormal overvoltage test	64
6.17	Line-load miswire test	65
6.18	Supplemental voltage surge immunity test	66
6.18.1	General	66
6.18.2	Surge immunity test (combination wave)	66
6.19	Mechanical testing	67
6.20	Terminal lead strain-relief test	67
6.21	Power-supply cord strain-relief test	67
6.22	Crushing test	68

6.23	Abnormal operations test	68
6.24	Dust test	69

Technical Committee on Industrial Products

R.M. Bartholomew	Electric Power Equipment Ltd, Vancouver, British Columbia <i>Category: Producer Interest</i>	<i>Chair</i>
R.P. de Lhorbe	Schneider Electric Canada, Inc., Richmond, British Columbia <i>Category: Producer Interest</i>	<i>Vice-Chair</i>
D.P. Badry	Government of Yukon, Whitehorse, Yukon <i>Category: Regulatory Authority</i>	
B.M. Baldwin	Startco Engineering ULC, Saskatoon, Saskatchewan <i>Category: Producer Interest</i>	
V.V. Gagachev	Eaton, Burlington, Ontario <i>Category: Producer Interest</i>	
D.R. MacLeod	Department of Labour and Advanced Education, Halifax, Nova Scotia <i>Category: Regulatory Authority</i>	
N. Mancini	Mississauga, Ontario <i>Category: General Interest</i>	
D. Mascarenhas	Independent, Brampton, Ontario <i>Category: General Interest</i>	
D.G. Morlidge	Fluor Canada Ltd., Calgary, Alberta <i>Category: General Interest</i>	
T. Olechna	Electrical Safety Authority, Mississauga, Ontario <i>Category: Regulatory Authority</i>	

R. Pack	SaskPower, Saskatoon, Saskatchewan <i>Category: Regulatory Authority</i>	
M. Smith	Rockwell Automation Canada Inc. Control Systems, Cambridge, Ontario <i>Category: Producer Interest</i>	
A.Z. Tsisserev	Applied Engineering Solutions Ltd., Vancouver, British Columbia <i>Category: General Interest</i>	
D. Stefancic	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

Subcommittee on Arc Fault Protective Devices

V.V. Gagachev	Eaton, Burlington, Ontario	<i>Chair</i>
S. Montgomery	2D2C, Inc, Kitchener, Ontario	<i>Vice-Chair</i>
J. Calabrese	Electrical Safety Authority, Scarborough, Ontario	
P. Desilets	Leviton Manufacturing of Canada Limited, Pointe-Claire, Québec	
S.W. Douglas	International Association of Electrical Inspectors, Toronto, Ontario	
T. Evans	CSA Group, Toronto, Ontario	
E. Larsen	Schneider Electric USA, Inc. Square D, Cedar Rapids, Iowa, USA	
K.J. Lippert	Eaton Corporation, Moon Township, Pennsylvania, USA	
B. Pandya	Siemens Canada Limited, Burlington, Ontario	
K.J. Rempe	Siemens Industry, Inc., Norcross, Georgia, USA	
A. Rocha	Siemens Canada, Oakville, Ontario	
D. Stefancic	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

Preface

This is the first edition of C22.2 No. 270, *Arc fault protective devices*, one of a series of Standards issued by CSA Group under Part II of the *Canadian Electrical Code*.

This Standard replaces CSA TIL M-02A.

Arc fault protective devices are usually embodied in combination with another device. As such, the user of this Standard will need to reference additional requirements as found in CSA C22.2 No. 5, CSA C22.2 No. 144.1, CSA C22.2 No. 21, and CSA C22.2 No. 42 as applicable.

For general information on the Standards of the *Canadian Electrical Code, Part II*, see the Preface of CAN/CSA-C22.2 No. 0, *General Requirements — Canadian Electrical Code, Part II*.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Subcommittee on Arc Fault Protective Devices under the jurisdiction of the Technical Committee on Industrial Products and the Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the Technical Committee.

Interpretations: The Strategic Steering Committee on Requirements for Electrical Safety has provided the following direction for the interpretation of standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA’s procedures for interpretation shall be followed to determine the intended safety principle.”

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- 5) *This Standard is subject to review five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

C22.2 No. 270-14

Arc fault protective devices

1 Scope

1.1

This Standard applies to arc fault protective devices designed to be installed in accordance with the Rules of the *Canadian Electrical Code, Part I*.

1.2

These devices include arc fault circuit interrupters (AFCI) and devices that incorporate arc fault circuit protection for use on single phase, 120 V, or single phase, two-pole, three-wire 120/240 V alternating current, 60 Hz circuits having a maximum current rating of up to 20 A for permanently connected and up to 30 A for cord-connected.

1.3

In this Standard, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; and “may” is used to express an option or that which is permissible within the limits of the Standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

2 Reference publications

Any normative reference to a code or standard appearing in the requirements of this Standard shall be interpreted as referring to the latest edition of that code or standard.

CSA Group

C22.1-15

Canadian Electrical Code, Part I

CAN/CSA-C22.2 No. 0-10

General Requirements—Canadian Electrical Code, Part II

C22.2 No. 0.2-93 (R2013)

Insulation coordination