



IEEE Standard for Meshed Tree Bridging with Loop-Free Forwarding

IEEE Communications Society

Developed by the
Access and Core Networks Standards Committee

IEEE Std 1910.1™-2020

IEEE Standard for Meshed Tree Bridging with Loop-Free Forwarding

Developed by the

Access and Core Networks Standards Committee
of the
IEEE Communications Society

Approved 24 September 2020

IEEE SA Standards Board

Abstract: Meshed tree bridging protocol (MTBP) ensures that bridged network constituents receive high reliability in frame delivery in the event of link or bridge failures. MTBP is based on the meshed tree algorithm (MTA) that allows for simultaneous construction and maintenance of multiple trees or tree branches from a single root. In the event of tree branch failures due to link or bridge failures, another preconstructed and maintained branch exists as an immediate fallback. Recovery and tree pruning times in meshed tree bridging is minimal. Multiple roots should be pre-assigned to construct multiple distinguishable meshed trees from each root. In the event of a root bridge failure, the standby root and its meshed tree provides loop-free paths for frame forwarding with minimal recovery delays.

Keywords: IEEE 1910.1™, loop-free broadcast frame forwarding, meshed trees, multi-meshed trees, optimal unicast frame forwarding paths, path redundancy, root redundancy

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2020 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 13 November 2020. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-7027-8 STD24392
Print: ISBN 978-1-5044-7029-2 STDPD24393

IEEE prohibits discrimination, harassment, and bullying.
For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.
No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE Standards documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page (<https://standards.ieee.org/ipr/disclaimers.html>), appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board. IEEE develops its standards through an accredited consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed by volunteers with scientific, academic, and industry-based expertise in technical working groups. Volunteers are not necessarily members of IEEE or IEEE SA, and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE makes no warranties or representations concerning its standards, and expressly disclaims all warranties, express or implied, concerning this standard, including but not limited to the warranties of merchantability, fitness for a particular purpose and non-infringement. In addition, IEEE does not warrant or represent that the use of the material contained in its standards is free from patent infringement. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity, nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: THE NEED TO PROCURE SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE is the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that the presenter's views should be considered the personal views of that individual rather than the formal position of IEEE, IEEE SA, the Standards Committee, or the Working Group.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE or IEEE SA. However, **IEEE does not provide interpretations, consulting information, or advice pertaining to IEEE Standards documents.**

Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its Societies and Standards Coordinating Committees are not able to provide an instant response to comments, or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in evaluating comments or in revisions to an IEEE standard is welcome to join the relevant IEEE working group. You can indicate interest in a working group using the Interests tab in the Manage Profile & Interests area of the [IEEE SA myProject system](#). An IEEE Account is needed to access the application.

Comments on standards should be submitted using the [Contact Us](#) form.

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not constitute compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Data privacy

Users of IEEE Standards documents should evaluate the standards for considerations of data privacy and data ownership in the context of assessing and using the standards in compliance with applicable laws and regulations.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate licensing fees, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400; <https://www.copyright.com/>. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit [IEEE Xplore](#) or [contact IEEE](#). For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website.

Errata

Errata, if any, for all IEEE standards can be accessed on the [IEEE SA Website](#). Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources Details section. Errata are also available in [IEEE Xplore](#). Users are encouraged to periodically check for errata.

Patents

IEEE Standards are developed in compliance with the [IEEE SA Patent Policy](#).

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

IMPORTANT NOTICE

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. IEEE Standards development activities consider research and information presented to the standards development group in developing any safety recommendations. Other information about safety practices, changes in technology or technology implementation, or impact by peripheral systems also may be pertinent to safety considerations during implementation of the standard. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

Participants

At the time this IEEE standard was completed, the Loop-Free Switching and Routing Working Group had the following membership:

Nirmala Shenoy, *Chair*
Daryl Johnson, *Vice Chair*
Bruce Hartpence, *Secretary*

Harry Sauberman

Reinhard Schrage

Bill Stackpole

The following members of the individual Standards Association balloting group voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Vern Brethour
Gustavo Brunello
Paul Cardinal
Pin Chang
Robert Fish
Bruce Hartpence
Marco Hernandez
Werner Hoelzl
C. Huntley
Atsushi Ito
Raj Jain
Pranav Jha
Daryl Johnson
Piotr Karocki
Randy Kelsey

Stuart Kerry
Evgeny Khorov
Yongbum Kim
Hyeong Ho Lee
George Markowsky
Jonathon Mclendon
Yoshihiro Nozaki
Bansi Patel
Clinton Powell
Venkatesha Prasad
Maximilian Riegel
Markus Rindchen
Benjamin Rolfe
Shashank Rudroju

Harry Sauberman
Reinhard Schrage
Kuhu Sharma
Nirmala Shenoy
Manikantan Srinivasan
Bill Stackpole
Gerald Stueve
Mark-Rene Uchida
Mehmet Ulema
John Vergis
Lisa Ward
Scott Willy
Yu Yuan
Oren Yuen
Andrew Zambell

When the IEEE SA Standards Board approved this standard on 24 September 2020, it had the following membership:

Gary Hoffman, *Chair*
Jon Walter Rosdahl, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Ted Burse
Doug Edwards
J. Travis Griffith
Grace Gu
Guido R. Hiertz
Joseph L. Koepfinger*

David J. Law
Howard Li
Dong Liu
Kevin Lu
Paul Nikolich
Damir Novosel
Dorothy Stanley

Mehmet Ulema
Lei Wang
Sha Wei
Philip B. Winston
Daidi Zhong
Jingyi Zhou

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 1910.1-2020, IEEE Standard for Meshed Tree Bridging with Loop-Free Forwarding.

This standard defines a *meshed tree bridging protocol* (MTBP) for bridged networks that forward frames as per specifications provided in IEEE Std 802.3™-2018 [B4].¹ Either *spanning tree protocol* as specified in IEEE Std 802.1D™-2004 [B2] or *rapid spanning tree protocol* as specified in IEEE Std 802.1w™-2001 [B3] is used for loop avoidance. The MTBP provides for computationally efficient loop-avoidance and recovery for topology changes including:

- Rapid tree and multiple overlapping branch construction from a single root that enables fast convergence and early broadcast frame forwarding in the event of topology changes.
- Multiple path establishment for unicast frame forwarding by leveraging several of the physical connections in the meshed topology normally used in bridged networks. The unicast frame forwarding paths are not constrained by the broadcast tree paths.
- Immediate failover to redundant paths or tree branches [established using the meshed tree algorithm (MTA)] upon detection of failed link(s) and/or bridges.
- Unicast and broadcast frame forwarding on optimal paths between end stations and/or services where the optimal path is selected from the multiple forwarding paths that exist simultaneously.
- Unicast frame forwarding follows paths different from the multiple meshed tree paths constructed for broadcast frame forwarding.

Meshed trees do not follow the traditional single spanning tree from one root concept. In bridged networks based on MTA, multiple tree branches are preconstructed from a single root bridge and maintained in readiness. One of the multiple paths is designated for loop-free broadcast frame forwarding. All other preconstructed tree branches and paths are maintained in readiness to take over in the event of failure of a branch currently used for broadcast frame forwarding. Meshed trees thus address the path redundancy and quick recovery on network component failure in bridged networks. Failover to another path is almost immediate upon link failure detection as meshed trees allow several logical pathways to exist between any two bridging devices. This is a substantial improvement over previous efforts, where a single logical path existed between two bridges at any point in time resulting in longer delays when responding to topology transients. In some cases, though a single backup was permitted, the convergence process still required the new changed path information to be synchronized with bridges downstream from the point of failure.

¹ The numbers in brackets correspond to those of the bibliography in [Annex B](#).

Contents

1. Overview	10
1.1 Introduction	10
1.2 Scope	10
1.3 Purpose	11
1.4 Word usage	12
2. Normative references.....	12
3. Definitions, acronyms, and abbreviations	12
3.1 Definitions	12
3.2 Acronyms and abbreviations	12
4. Conformance	13
5. Mesh tree algorithm and the protocol.....	14
6. Meshed tree algorithm.....	14
7. Meshed trees in bridged network.....	16
7.1 General	16
7.2 Building meshed trees from a single designated root bridge	16
7.3 Meshed trees from a designated root	18
7.4 MTBP operations.....	19
7.5 Unicast frame forwarding with MTBP	31
Annex A (informative) Graph theory background	35
Annex B (informative) Bibliography.....	42

IEEE Standard for Meshed Tree Bridging with Loop-Free Forwarding

1. Overview

1.1 Introduction

This standard defines a *meshed tree bridging protocol* (MTBP) for bridged networks. For this purpose, the standard specifies a *meshed tree algorithm* (MTA) and a technique for the generation of meshed trees from one root in a bridged network. A protocol based on this technique for forwarding unicast, multicast, and broadcast frames in a bridged network is specified. The protocol specifications focus on maintaining a readiness of multiple active topologies that can also share learned station information. The meshed trees provide multiple non-looping paths from any non-root bridge to the root bridge. To address the needs of root failure the multi-meshed tree (MMT) technique allows for construction of multiple meshed trees from several preselected root bridges. The specification describes a single protocol to construct multiple meshed trees from multiple predesignated root bridges.

The operation of the MTBP is based on the MTA. MTA describes a technique that allows for simultaneous construction and maintenance of multiple logical tree branches from a root. This feature allows for immediate fallback on preconstructed paths between the root bridge and the non-root bridges in the event of link or bridge failures. The fallback and thus convergence time are minimal.

1.2 Scope

The scope of this document is as follows:

- a) In bridged networks running MTBP, ports shall be identified as either a meshed tree port that participates in the meshed tree resolution, or a host port, to which a local host is connected. Only meshed tree ports are allowed to participate in the meshed tree resolution.
- b) MTBP provides superior fault tolerance by preconfiguring several logical trees from a root. One of these logical trees is considered the primary tree and is used for forwarding broadcast frames. In the event of a network component failure and immediately on failure detection of the primary branch, broadcast frame forwarding is taken over by any one of the other preconfigured tree branches. This is achieved with minimal message dissemination and delay.
- c) The addition of a bridge configured to run MTBP will allow the bridge to send a request to join (via MT_JOIN message) message to all other bridges to which it is connected. The new bridge will join the bridges already in the topology. The new bridge then receives multiple invitations