

**CGA**  
Compressed Gas Association  
The Standard For Safety Since 1913

ANSI/CGA G-5—2024

9<sup>TH</sup> EDITION

# HYDROGEN



**PLEASE NOTE:**

The information contained in this document was obtained from sources believed to be reliable and is based on technical information and experience currently available from members of the Compressed Gas Association, Inc. and others. However, the Association or its members, jointly or severally, make no guarantee of the results and assume no liability or responsibility in connection with the information or suggestions herein contained. Moreover, it should not be assumed that every acceptable commodity grade, test or safety procedure or method, precaution, equipment or device is contained within, or that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedure.

This document is subject to periodic review, and users are cautioned to obtain the latest edition. The Association invites comments and suggestions for consideration. In connection with such review, any such comments or suggestions will be fully reviewed by the Association after giving the party, upon request, a reasonable opportunity to be heard. Proposed changes may be submitted via the Internet at our website, [www.cganet.com](http://www.cganet.com).

This document should not be confused with federal, state, provincial, or municipal specifications or regulations; insurance requirements; or national safety codes. While the Association recommends reference to or use of this document by government agencies and others, this document is purely voluntary and not binding unless adopted by reference in regulations.

A listing of all publications, audiovisual programs, safety and technical bulletins, and safety posters is available via the Internet at our website at [www.cganet.com](http://www.cganet.com). For more information contact CGA at Phone: 703-788-2700, ext. 799. E-mail: [customerservice@cganet.com](mailto:customerservice@cganet.com).

Work Item 22-019  
Hydrogen Technology Committee

NOTE—Technical changes from the previous edition are underlined.

NINTH EDITION: 2024 (ANSI APPROVED 2024)  
EIGHTH EDITION: 2017  
SEVENTH EDITION: 2011  
SIXTH EDITION: 2005  
FIFTH EDITION: 2002

© 2024 The Compressed Gas Association, Inc. All rights reserved.

All materials contained in this work are protected by United States and international copyright laws. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical including photocopying, recording, or any information storage and retrieval system without permission in writing from The Compressed Gas Association, Inc. All requests for permission to reproduce material from this work should be directed to The Compressed Gas Association, Inc., 8484 Westpark Drive, Suite 220, McLean, VA 22102. You may not alter or remove any trademark, copyright or other notice from this work.

## AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

**CAUTION NOTICE:** The American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken to periodically reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, 1180 Avenue of the Americas, 10th Floor, New York, NY 10036.

Approved as an American National Standard on July 18, 2024.

<b>Contents</b>	<b>Page</b>
1 Introduction.....	1
2 Scope .....	1
3 Definitions.....	1
4 General Information.....	1
4.1 Physical and chemical properties of gaseous hydrogen .....	1
4.2 Physical and chemical properties of liquid hydrogen.....	2
4.3 Physiological effects.....	2
4.4 Manufacture.....	4
4.5 Commercial uses.....	6
4.6 Security.....	8
5 Hydrogen containers—storage and transportation.....	8
5.1 Regulations.....	8
5.2 Compressed gas storage and transportation .....	8
5.3 Cryogenic liquid hydrogen storage and transportation .....	12
5.4 Other types of storage .....	13
6 Cylinder storage .....	13
6.1 Compliance.....	13
6.2 General storage information.....	13
6.3 Valve protection caps .....	14
6.4 Security.....	14
7 Handling and using gaseous hydrogen cylinders.....	15
7.1 General handling information .....	15
7.2 Moving cylinders.....	16
7.3 Cylinder use.....	16
7.4 Cylinder contents.....	17
7.5 Disposition of empty cylinders .....	17
7.6 Handling leaking cylinders.....	18
8 Gaseous hydrogen systems.....	18
8.1 Piping and manifold systems.....	18
8.2 Specifications .....	18
9 Handling and use precautions for liquid hydrogen .....	18
9.1 First aid.....	19
9.2 Containers .....	19
9.3 Filling and refilling containers .....	19
9.4 Shipping and storage.....	20
10 References .....	20
11 Additional information.....	22
 <b>Tables</b>	
Table 1—Physical constants of gaseous (normal) hydrogen.....	3
Table 2—Physical constants of liquid hydrogen .....	4
 <b>Figures</b>	
Figure 1—Typical steam methane reforming schematic.....	5
Figure 2—Estimating the volume of hydrogen in a cylinder with a volumetric capacity of 2685 in <sup>3</sup> .....	17
 <b>Appendices</b>	
Appendix A—Commonly used terms related to hydrogen (Informative).....	23
Appendix B—Additional information for considerations on ullage (Informative) .....	27

## 1 Introduction

This publication is one of a series written by the Compressed Gas Association, Inc. (CGA) to provide information on the production, transportation, handling, and storage of compressed gases, cryogenic liquids, and related products.

## 2 Scope

This publication provides information on the physical and chemical properties of hydrogen and proper handling and use. It is intended to provide background information for personnel involved in the manufacture, distribution, and use of hydrogen. Additional technical information can be obtained from hydrogen gas manufacturers.

Appendix A provides definitions for commonly used terms related to hydrogen.

## 3 Definitions

For the purpose of this publication, the following definitions apply.

### 3.1 Publication terminology

#### 3.1.1 Shall

Indicates that the procedure is mandatory. It is used wherever the criterion for conformance to specific recommendations allows no deviation.

#### 3.1.2 Should

Indicates that a procedure is recommended.

#### 3.1.3 May

Indicates that the procedure is optional.

#### 3.1.4 Will

Is used only to indicate the future, not a degree of requirement.

#### 3.1.5 Can

Indicates a possibility or ability.

## 4 General Information

### 4.1 Physical and chemical properties of gaseous hydrogen

Gaseous hydrogen is a colorless, odorless, tasteless, flammable, nontoxic gas. It is the lightest of all gases, having a specific gravity of 0.0696. The hydrogen content of atmospheric air at sea level is 0.5 ppm.

Gaseous hydrogen has two isomers (forms): ortho-hydrogen, in which the two atomic nuclei spin in the same direction and para-hydrogen, in which the two atomic nuclei spin in opposite directions. There are no differences in the chemical properties of the two forms of gaseous hydrogen, but there are slight differences in their physical properties. Gaseous hydrogen is a mixture of 75% ortho-hydrogen and 25% para-hydrogen at room temperature. Gaseous hydrogen is also called normal hydrogen.

Gaseous hydrogen is a flammable gas that burns with an almost invisible bluish flame. The flame is so pale in daylight that a person can feel heat or even be burned by hydrogen that was accidentally ignited without ever having seen a flame.

The flammability limits of gaseous hydrogen in air at atmospheric pressure are approximately 4% to 75%, and the minimum autoignition temperature is 1050 °F (566 °C). The flammability limits of gaseous hydrogen in oxygen range from approximately 4% to 95%, and the minimum autoignition temperature is 1074 °F (579 °C). When handling gaseous hydrogen, personnel shall observe all the precautions necessary for the safe handling of a flammable gas. The minimum ignition energy of gaseous hydrogen is 0.02 mJ, which is an order of magnitude