



CSA C22.2 No. 255:04
National Standard of Canada
(reaffirmed 2019)



Neon transformers and power supplies



Standards Council of Canada
Conseil canadien des normes

Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Revision History

CSA C22.2 No. 255:04, Neon transformers and power supplies

National Standard of Canada — May 2019
Outside front cover, National Standard of Canada text, and title page.
This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Standards Update Service

CSA C22.2 No. 255:04
October 2004

Title: *Neon transformers and power supplies*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2015245**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as “CSA Group”), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group’s standards development by volunteering their time and skills to Committee work and supporting CSA Group’s objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group’s total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group’s standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Standards Council of Canada
Conseil canadien des normes

Cette Norme Nationale du Canada n'est disponible qu'en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

®A trademark of the Canadian Standards Association, operating as “CSA Group”

National Standard of Canada

CSA C22.2 No. 255:04
***Neon transformers and power
supplies***



*®A trademark of the Canadian Standards Association,
operating as "CSA Group"*



*Published in October 2004 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 29.140.30
ISBN 1-55397-099-3*

*© 2004 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Industrial Products *vii*

Subcommittee on Neon Transformers *viii*

Preface *ix*

Foreword *x*

1 Scope 1

2 Reference publications 1

3 Definitions 3

4 General 6

- 4.1 Components 6
- 4.2 Construction type designation 6
- 4.3 Component identification requirements 8

5 Mechanical construction 9

- 5.1 Enclosures 9
 - 5.1.1 General 9
 - 5.1.2 Metallic enclosure 10
 - 5.1.3 Corrosion protection 10
 - 5.1.4 Polymeric enclosure 11
- 5.2 Accessibility barriers 12
- 5.3 Openings and open holes 14
- 5.4 Securement of parts 16
- 5.5 Sharp edges 16
- 5.6 Mounting 17
- 5.7 User-accessible controls 17
- 5.8 Supply connections (not including equipment grounding) 17
 - 5.8.1 Permanently connected supplies 17
 - 5.8.2 Supply terminals 19
 - 5.8.3 Supply leads 20
 - 5.8.4 Cord- and plug-connected supplies 21
 - 5.8.5 Source of supply other than a branch circuit 22
- 5.9 Equipment grounding 23
 - 5.10 Equipment grounding means 23
 - 5.10.1 General 23
 - 5.10.2 Grounding terminal 24
 - 5.10.3 Grounding leads 25
 - 5.10.4 Grounding — Cord-connected neon supplies 25
 - 5.11 Bonding 25

6 Electrical construction 26

- 6.1 Internal wiring 26
 - 6.1.1 General 26
 - 6.1.2 Prevention of wire damage 26
- 6.2 Internal electrical connections (other than output circuitry) 27
- 6.3 Output 27

- 6.3.1 Output ratings 27
- 6.3.2 Output terminals 27
- 6.3.3 Output cables 28
- 6.4 Input-to-output isolation 29
- 6.5 Electrical components 29
 - 6.5.1 General 29
 - 6.5.2 On/off switches 30
 - 6.5.3 Overcurrent protection 30
 - 6.5.4 Capacitors 30
 - 6.5.5 Transformers 31
 - 6.5.6 Thermal protective devices 31
 - 6.5.7 Printed wiring boards 31
 - 6.5.8 Electrode receptacles 32
- 6.6 Secondary-circuit ground-fault protection 32
- 6.7 Spacings 34
- 6.8 Insulation 39

7 Tests 41

- 7.1 General 41
- 7.2 Input measurement test 43
- 7.3 Isolated output determination test 43
- 7.4 Output measurement test 43
 - 7.4.1 Maximum output voltage 43
 - 7.4.2 Maximum output current measurement 45
- 7.5 Temperature test 46
- 7.6 Dielectric voltage-withstand tests 51
 - 7.6.1 General 51
 - 7.6.2 Primary and secondary circuits 52
 - 7.6.3 Barriers and insulating materials 54
- 7.7 Leakage current test 54
- 7.8 Input-to-output isolation test 56
- 7.9 Bond impedance test 57
- 7.10 Strain and push-back relief test 57
- 7.11 Switch loading tests 58
 - 7.11.1 General 58
 - 7.11.2 Overload 58
 - 7.11.3 Endurance 59
- 7.12 Abnormal operation tests 59
 - 7.12.1 General 59
 - 7.12.2 Output open-circuit 60
 - 7.12.3 Abnormal component short- and open-circuit 61
 - 7.12.4 Output short-circuit abnormal temperature test 61
 - 7.12.5 Output shorted-to-ground abnormal test 61
- 7.13 Printed wiring board tests 61
 - 7.13.1 Abnormal trace-to-trace short-circuit 61
 - 7.13.2 Conformal coating 62
- 7.14 Mechanical tests 63
 - 7.14.1 Polymeric mounting means load 63
 - 7.14.2 Knockout 63
- 7.15 Wire-binding screw terminal tests 63
 - 7.15.1 Solid-wire tightening 63
 - 7.15.2 Performance verification of terminal assemblies on a terminal block 64
- 7.16 Secondary-circuit ground-fault parameters test 64
- 7.17 Secondary-circuit ground-fault protection circuit abnormal tests 74

- 7.17.1 General 74
- 7.17.2 Component fault 75
- 7.17.3 Thermal aging 75
- 7.17.4 Overvoltage and undervoltage 76
- 7.17.5 Power supply interruption 77
- 7.17.6 Transient surge 77
- 7.17.7 Humidity 77

8 Markings 80

- 8.1 General 80
- 8.2 Identification 81
- 8.3 Ratings 81
- 8.4 Cautionary markings 82
- 8.5 Installation 83

9 Damp location neon supplies 84

- 9.1 General 84
- 9.2 Electrical construction 84
- 9.3 Performance 85
- 9.4 Markings 85

10 Wet location neon supplies 85

- 10.1 General 85
- 10.2 Mechanical construction and corrosion protection 85
- 10.3 Exclusion of water 87
 - 10.3.1 Enclosures 87
 - 10.3.2 Gaskets and bushings 87
 - 10.3.3 Openings 87
- 10.4 Electrical construction 87
- 10.5 Accelerated aging of gaskets 88
- 10.6 Water spray 88
- 10.7 Markings 89

Tables

- 1** — Construction type designation 7
- 2** — Conditions of use for neon supplies intended for factory installation only 9
- 3** — Minimum thickness of enclosure metal 10
- 4** — Maximum size of miscellaneous open holes 14
- 5** — Conduit opening dimensions 18
- 6** — Minimum spacings at input wiring terminals 35
- 7** — Spacings — Damp and wet location use, for input circuitry, not including input terminals, and output circuitry, including connections and terminals 36
- 8** — Spacings — Dry location use only, for input circuitry, not including input terminals, and output circuitry, including connections and terminals 37
- 9** — Spacings — Printed wiring board assemblies with a conformal coating 38
- 10** — Spacings — Output circuitry, including connections and terminals, uninsulated to insulated, insulated to insulated, and insulated to the plane of the intended mounting surface in all locations 39
- 11** — Minimum thickness of insulating materials 40
- 12** — Neon tubing length chart 42
- 13** — Electrode ratings/dimensions for testing 43
- 14** — Maximum open-circuit peak output voltage for other than an end point return neon supply 44
- 15** — Maximum open-circuit peak secondary voltage for an end point return neon supply 44
- 16** — Maximum temperature rises 49

- 17** — Case temperature code 50
 - 18** — Electrode receptacle dielectric test potential 53
 - 19** — Test switch positions 67
 - 20** — Metal coatings 86
 - 21** — Water spray operating sequence 89
-

Figures

- 1** — Articulate probe with web stop 13
- 2** — Relationship of baffle and electrical part to prevent emission 15
- 3** — Example of thread-forming screw 16
- 4** — Terminal and conductor relationship 20
- 5** — Grounding symbol 24
- 6** — Test enclosure 48
- 7** — Leakage current measurement circuit 55
- 8** — Supply cord push-back evaluation 58
- 9** — Secondary ground-fault test for midpoint return neon supplies 67
- 10** — Secondary ground-fault for ground referenced, end point return neon supplies 69
- 11** — Secondary ground-fault for isolated output midpoint return neon supplies 71
- 12** — Secondary-circuit ground-fault test circuit for isolated output, end point return neon supplies 74
- 13** — Surge generator circuit 79
- 14** — Relay control circuit for surge generator 80

Technical Committee on Industrial Products

K. Powell	Criteria, Glen Williams, Ontario <i>Representing Manufacturers</i>	<i>Chair</i>
T. Pope	CSA, Mississauga, Ontario	<i>Project Manager</i>

Representing Regulatory Authorities

T. Olechna	Electrical Safety Authority, Mississauga, Ontario
S. Paulsen	Province of New Brunswick, Fredericton, New Brunswick
J.-L. Robert	Régie du bâtiment du Québec, Québec, Québec
A. Tsisserev	City of Vancouver, Vancouver, British Columbia

Representing Manufacturers

R.M. Bartholomew	Electric Power Equipment (1986) Ltd., Vancouver, British Columbia
W. Jones	Cutler-Hammer Canada Inc., Burlington, Ontario
M. Smith	Rockwell Automation Canada Inc., Cambridge, Ontario

Representing General Interests

M. Kasumovich	Mississauga, Ontario <i>Consumer Representative</i>
R. Robertson	Shell Canada Limited, Calgary, Alberta

Subcommittee on Neon Transformers

A. Efantis	Allanson International Inc., Toronto, Ontario	<i>Chair</i>
A. Castillo	Universal Lighting Technologies Inc., Los Indios, Texas, USA	
C. Hutchings	Underwriters Laboratories Inc., Santa Clara, California, USA	<i>Associate</i>
P.K. Kaufmann	Transfotec International L.B. Ltée, Saint-Eustache, Québec	
M.A. Khan	Muskego, Wisconsin, USA	
P.A. La Rocque	Electrobits International, Montréal, Québec	
G. Montminy	Régie du bâtiment du Québec, Québec, Québec	
Z. Psarski	CSA, Toronto, Ontario	<i>Associate</i>
L. Radom	SaskPower, Regina, Saskatchewan	
A. Smith	France, Fairview, Tennessee, USA	
A. Zimmerman	Actown-Electrocoil Inc., Spring Grove, Illinois, USA	
D. Hulford	CSA, Mississauga, Ontario	<i>Project Manager</i>

Preface

This is the first edition of CSA C22.2 No. 255, *Neon transformers and power supplies*.

For general information on the Standards of the *Canadian Electrical Code, Part II*, see the Preface of the latest issue of CAN/CSA-C22.2 No. 0.

This Standard was prepared by the Subcommittee on Neon Transformers, under the jurisdiction of the Technical Committee on Industrial Products and the Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the Technical Committee.

Interpretations: The Strategic Steering Committee on Requirements for Electrical Safety has provided the following direction for the interpretation of standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA’s procedures for interpretation shall be followed to determine the intended safety principle”.

October 2004

Notes:

- (1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- (2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- (3) This publication was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this publication.
- (4) CSA Standards are subject to periodic review, and suggestions for their improvement will be referred to the appropriate committee.
- (5) All enquiries regarding this Standard, including requests for interpretation, should be addressed to Canadian Standards Association, 5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6.
Requests for interpretation should
 - (a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
 - (b) provide an explanation of circumstances surrounding the actual field condition; and
 - (c) be phrased where possible to permit a specific “yes” or “no” answer.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA’s periodical Info Update, which is available on the CSA Web site at www.csa.ca.

Foreword

The Canadian Standards Association (CSA) develops standards under the name Canadian Standards Association, and provides certification and testing under the name CSA International. CSA International provides certification services for manufacturers who, under license from CSA, wish to use the appropriate registered CSA Marks on certain products of their manufacture to indicate conformity with CSA Standards.

CSA Certification for a number of products is provided in the interest of maintaining agreed-upon standards of quality, performance, interchangeability and/or safety, as appropriate. Where applicable, certification may form the basis for acceptance by inspection authorities responsible for enforcement of regulations. Where feasible, programs will be developed for additional products for which certification is desired by producers, consumers, or other interests. In performing its functions in accordance with its objectives, CSA does not assume or undertake to discharge any responsibility of the manufacturer or any other party. The opinions and findings of the Association represent its professional judgement given with due consideration to the necessary limitations of practical operation and state of the art at the time the Standard is processed.

Products in substantial accord with this Standard but which exhibit a minor difference or a new feature may be deemed to meet the Standard providing the feature or difference is found acceptable utilizing appropriate CSA International Operating Procedures. Products that comply with this Standard shall not be certified if they are found to have additional features which are inconsistent with the intent of this Standard. Products shall not be certifiable if they are discovered to contravene applicable laws or regulations.

Testing techniques, test procedures, and instrumentation frequently must be prescribed by CSA International in addition to the technical requirements contained in Standards of CSA. In addition to markings specified in the Standard, CSA International may require special cautions, markings, and instructions that are not specified by the Standard.

Some tests required by CSA Standards may be inherently hazardous. The Association neither assumes nor accepts any responsibility for any injury or damage that may occur during or as the result of tests, wherever performed, whether performed in whole or in part by the manufacturer or the Association, and whether or not any equipment, facility, or personnel for or in connection with the test is furnished by the manufacturer or the Association.

Manufacturers should note that, in the event of the failure of CSA International to resolve an issue arising from the interpretation of requirements, there is an appeal procedure: the complainant should submit the matter, in writing, to the Secretary of the Canadian Standards Association.

If this Standard is to be used in obtaining CSA Certification please remember, when making application for certification, to request all current Amendments, Bulletins, Notices, and Technical Information Letters that may be applicable and for which there may be a nominal charge. For such information or for further information concerning CSA Certification, please address your inquiry to Applications and Customer Service, CSA International, 178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3.

C22.2 No. 255-04

Neon transformers and power supplies

1 Scope

1.1

This Standard applies to transformers and power supplies, including those intended to be connected to a Class 2 source of supply, that provide the voltage and ballasting for neon and cold-cathode tubing (electric-discharge tubing) and are intended to be used in accordance with the *Canadian Electrical Code, Part I*.

1.2

This Standard does not apply to

- (a) transformers or power supplies intended to supply other forms of lighting such as fluorescent, high-intensity-discharge, electroluminescent, LED, and plasma lighting; and
- (b) transformers or power supplies that are intended for use with oil burners.

1.3

The values given in SI (metric) units are the standard. The values given in parentheses are for information only.

1.4

Unless otherwise indicated, all voltage and current values in this Standard are root-mean-square (rms).

1.5

In CSA Standards, “shall” is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; “should” is used to express a recommendation or that which is advised but not required; “may” is used to express an option or that which is permissible within the limits of the standard; and “can” is used to express possibility or capability. Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material. Notes to tables and figures are considered part of the table or figure and may be written as requirements. Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

2 Reference publications

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below, including all amendments published thereto.

Note: *In cases where the editions listed below are replaced by newer editions during the life of this referencing Standard, users of this Standard are encouraged to investigate the possibility of applying the most recent editions.*

CSA (Canadian Standards Association)

C22.1-02

Canadian Electrical Code, Part I

CAN/CSA-C22.2 No. 0-M91 (R2001)

General Requirements — Canadian Electrical Code, Part II