

Australian Standard™

**Information technology—Coding of
audio-visual objects**

**Part 8: Carriage of ISO/IEC 14496
contents over IP networks**

This Australian Standard was prepared by Committee IT-029, Coded Representation of Picture, Audio and Multimedia/Hypermedia Information. It was approved on behalf of the Council of Standards Australia on 27 October 2004. This Standard was published on 25 November 2004.

The following are represented on Committee IT-029:

Australian Broadcasting Authority
Australian Broadcasting Corporation
Australian Consumer Association
Australian Subscription Television
CSIRO Information and Communication Technology Centre
DSTC
Department of Defence (Australia)
Free TV Australia
Special Broadcasting Service
The University of New South Wales
University of Sydney
University of Wollongong
Victoria University of Technology

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

Australian Standard™

**Information technology—Coding of
audio-visual objects**

**Part 8: Carriage of ISO/IEC 14496
contents over IP networks**

First published as AS ISO/IEC 14496.8—2004.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 6365 0

PREFACE

This Standard was prepared by the Standards Australia Committee IT-029, Coded Representation of Picture, Audio and Multimedia/Hypermedia Information.

This Standard is identical with, and has been reproduced from, ISO/IEC 14496-8:2004, *Information technology—Coding of audio-visual objects—Part 8: Carriage of ISO/IEC 14496 contents over IP networks*.

The objective of this Standard is to provide the multimedia developer with a framework for the carriage of ISO/IEC 14496 contents over IP networks and guidelines for designing payload format specifications for the detailed mapping of ISO/IEC 14496 content into several IP-based protocols.

As this Standard is reproduced from an international standard, the following applies:

- (a) Its number appears on the cover and title page while the international standard number appears only on the cover.
- (b) In the source text ‘this International Standard’ should read ‘this Australian Standard’.
- (c) A full point substitutes for a comma when referring to a decimal marker.
- (d) None of the normative references in the source document have been adopted as Australian or Australian/New Zealand Standards.

INTRODUCTION

ISO/IEC 14496 is an International Standard designed for the representation and delivery of multimedia information over a variety of transport protocols. It includes interactive scene management, visual and audio representations as well as systems functionality like multiplexing, synchronization, and an object descriptor framework. This document provides a framework for the carriage of ISO/IEC 14496 contents over IP networks and guidelines for designing payload format specifications for the detailed mapping of ISO/IEC 14496 content into several IP-based protocols

NOTES

AUSTRALIAN STANDARD

Information technology — Coding of audio-visual objects —

Part 8: Carriage of ISO/IEC 14496 contents over IP networks

1 Scope

This part of ISO/IEC 14496 specifies transport level functionalities for the communication of interactive audio-visual scenes. More specifically:

1. Framework for the carriage of ISO/IEC 14496 contents over IP networks;
2. Guidelines to design RTP payload formats for ISO/IEC 14496 contents including fragmentation and concatenation rules;
3. Usage rules of SDP to transport ISO/IEC 14496-1 related information;
4. MIME type definitions for ISO/IEC14496 contents; and
5. Analysis on RTP Security and Multicasting.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IETF RFC 1889, *RTP A Transport Protocol for Real-Time Applications*

IETF RFC 1890, *RTP Profile for Audio and Video Conference with Minimal Control*

IETF RFC 2326, *Real Time Streaming Protocol (RTSP)*

IETF RFC 2327, *SDP: Session description protocol*

IETF RFC 3016, *RTP payload format for MPEG-4 audio/visual streams*

IETF RFC 3640, *Transport of MPEG-4 elementary streams*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

MIME

Multipurpose Internet Mail Extensions, referring to an official Internet standard that identifies the format of the contents exchanged over different systems connected to the network