



ATIS STANDARD

ATIS-0300231.02.2019

**DS1 – Layer 1 In-Service
Digital Transmission Performance Monitoring**

AMERICAN NATIONAL STANDARD FOR TELECOMMUNICATIONS



As a leading technology and solutions development organization, the Alliance for Telecommunications Industry Solutions (ATIS) brings together the top global ICT companies to advance the industry's most pressing business priorities. ATIS' nearly 200 member companies are currently working to address the All-IP transition, 5G, network functions virtualization, big data analytics, cloud services, device solutions, emergency services, M2M, cyber security, network evolution, quality of service, billing support, operations, and much more. These priorities follow a fast-track development lifecycle — from design and innovation through standards, specifications, requirements, business use cases, software toolkits, open source solutions, and interoperability testing.

ATIS is accredited by the American National Standards Institute (ANSI). The organization is the North American Organizational Partner for the 3rd Generation Partnership Project (3GPP), a founding Partner of the oneM2M global initiative, a member of the International Telecommunication Union (ITU), as well as a member of the Inter-American Telecommunication Commission (CITEL). For more information, visit www.atis.org.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires review by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made towards their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Notice of Disclaimer & Limitation of Liability

The information provided in this document is directed solely to professionals who have the appropriate degree of experience to understand and interpret its contents in accordance with generally accepted engineering or other professional standards and applicable regulations. No recommendation as to products or vendors is made or should be implied.

NO REPRESENTATION OR WARRANTY IS MADE THAT THE INFORMATION IS TECHNICALLY ACCURATE OR SUFFICIENT OR CONFORMS TO ANY STATUTE, GOVERNMENTAL RULE OR REGULATION, AND FURTHER, NO REPRESENTATION OR WARRANTY IS MADE OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS. ATIS SHALL NOT BE LIABLE, BEYOND THE AMOUNT OF ANY SUM RECEIVED IN PAYMENT BY ATIS FOR THIS DOCUMENT, AND IN NO EVENT SHALL ATIS BE LIABLE FOR LOST PROFITS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. ATIS EXPRESSLY ADVISES THAT ANY AND ALL USE OF OR RELIANCE UPON THE INFORMATION PROVIDED IN THIS DOCUMENT IS AT THE RISK OF THE USER.

<p>NOTE - The user's attention is called to the possibility that compliance with this standard may require use of an invention covered by patent rights. By publication of this standard, no position is taken with respect to whether use of an invention covered by patent rights will be required, and if any such use is required no position is taken regarding the validity of this claim or any patent rights in connection therewith. Please refer to [http://www.atis.org/legal/patentinfo.asp] to determine if any statement has been filed by a patent holder indicating a willingness to grant a license either without compensation or on reasonable and non-discriminatory terms and conditions to applicants desiring to obtain a license.</p>
--

ATIS-0300231.02.2019, DS1 – Layer 1 In-Service Digital Transmission Performance Monitoring

Is an American National Standard developed by the **ATIS Telecom Management and Operations Committee (TMOC)**.

Published by

Alliance for Telecommunications Industry Solutions

1200 G Street, NW, Suite 500

Washington, DC 20005

Copyright © 2019 by Alliance for Telecommunications Industry Solutions

All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. For information contact ATIS at 202.628.6380. ATIS is online at < <http://www.atis.org> >.

American National Standard for Telecommunications

DS1 – Layer 1 In-Service Digital Transmission Performance Monitoring

Alliance for Telecommunications Industry Solutions

Approved August 1, 2019

American National Standards Institute, Inc.

Abstract

This standard provides performance monitoring functions and requirements applicable to DS1 digital transmission signals. This standard provides functional requirements to support maintenance and is not meant to be an equipment specification. This standard is one of a set of standards which are applications utilizing the common criteria as specified in ATIS-0300231.

Foreword

The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. As such, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

The Alliance for Telecommunication Industry Solutions (ATIS) serves the public through improved understanding between providers, customers, and manufacturers. The Telecom Management and Operations Committee (TMOC) develops operations, administration, maintenance and provisioning standards, and other documentation related to Operations Support System (OSS) and Network Element (NE) functions and interfaces for communications networks - with an emphasis on standards development related to U.S.A. communication networks in coordination with the development of international standards.

This standard specifies a basic set of monitoring requirements, and provides criteria that are common to a set of standards, the ATIS-0300231 series, which define applications for a specific level in the digital hierarchy. The documents, which are included in the ATIS-0300231 series (at the time that this document is approved), are listed below:

- ATIS-0300231, *Layer 1 In-Service Transmission Performance Monitoring*.
- ATIS-0300231.01, *DSL – Layer 1 In-Service Digital Transmission Performance Monitoring*.
- ATIS-0300231.02, *DS1 – Layer 1 In-Service Digital Transmission Performance Monitoring*.
- ATIS-0300231.03, *DS3 – Layer 1 In-Service Digital Transmission Performance Monitoring*.
- ATIS-0300231.04, *SONET – Layer 1 In-Service Digital Transmission Performance Monitoring*.

ANSI guidelines specify two categories of requirements: mandatory and recommendation. The mandatory requirements are designated by the word *shall* and recommendations by the word *should*. Where both a mandatory requirement and a recommendation are specified for the same criterion, the recommendation represents a goal currently identifiable as having distinct compatibility or performance advantages.

Suggestions for improvement of this document are welcome. They should be sent to the Alliance for Telecommunications Industry Solutions TMOC, 1200 G Street NW, Suite 500, Washington, DC 20005.

At the time of consensus on this document, TMOC, which was responsible for its development, had the following leadership:

- P. Galarza, TMOC Chair (iconectiv)
- T. Barrett, Technical Editor (AT&T)

Table of Contents

1	SCOPE, PURPOSE, & APPLICATION	1
1.1	SCOPE.....	1
1.2	PURPOSE.....	1
1.3	APPLICATION	1
2	NORMATIVE REFERENCES	1
3	DEFINITIONS & ACRONYMS	2
3.1	DEFINITIONS.....	2
3.2	ACRONYMS & ABBREVIATIONS.....	3
4	DS1 PERFORMANCE PRIMITIVES & PARAMETERS	4
4.1	ABBREVIATIONS & CONVENTIONS.....	4
4.2	PERFORMANCE PRIMITIVES	5
4.2.1	<i>Performance Anomalies</i>	5
4.2.2	<i>Performance Defects</i>	5
4.3	PERFORMANCE FAILURES.....	7
4.3.1	<i>Near-end Failures</i>	7
4.3.2	<i>Far-end Failures</i>	9
4.4	ESF FAR-END PERFORMANCE REPORT	9
4.5	OTHER INDICATORS, PARAMETERS, & SIGNALS	10
4.5.1	<i>Remote Alarm Indication (RAI) Signal</i>	10
4.5.2	<i>Remote Alarm Indication Signal - Customer Installation (RAI-CI)</i>	10
4.5.3	<i>Near-end Path Failure Count (FC-P)</i>	10
4.5.4	<i>Far-end Path Failure Count (FC-PFE)</i>	10
4.5.5	<i>Protection Switching (PS) Event</i>	10
4.5.6	<i>Protection Switching Count (PSC)</i>	11
4.5.7	<i>Protection Switching Duration (PSD)</i>	11
4.5.8	<i>DS1 Idle Signal</i>	11
4.5.9	<i>Supplemental Performance Report (SPRM)</i>	11
4.5.10	<i>Network Performance Report Message (NPRM)</i>	11
4.6	PERFORMANCE PARAMETERS.....	12
4.6.1	<i>Near-end Line Performance Parameters</i>	12
4.6.2	<i>Near-end Path Performance Parameters</i>	13
4.6.3	<i>Far-end Line Performance Parameters</i>	15
4.6.4	<i>Far-end Path Performance Parameters</i>	15
4.6.5	<i>CI/Network Performance Parameters</i>	16
4.6.6	<i>Far-end Alarm/Status Indications</i>	19
5	DS1 PERFORMANCE MONITORING FUNCTIONS	19
5.1	DS1 PERFORMANCE DATA COLLECTION	19
5.2	DS1 PERFORMANCE DATA STORAGE	20
5.3	DS1 THRESHOLDING & ALERTING.....	20
A	BIBLIOGRAPHY.....	32

Table of Figures

FIGURE 1 - ILLUSTRATION OF DS1, DS3 LINES AND PATHS.....	21
--	----

Table of Tables

TABLE 1 - DS1 NEAR-END PERFORMANCE PRIMITIVES 22

TABLE 2 - DS1 FAR-END PERFORMANCE PRIMITIVES 23

TABLE 3 - DS1 FAILURE DEFINITIONS..... 24

TABLE 4 - DS1 OTHER INDICATORS, PARAMETERS, AND SIGNALS 25

TABLE 5 - DS1 PARAMETER DEFINITIONS 26

TABLE 6 - ACCUMULATION OF CV PARAMETER FOR THE FAR-END..... 30

TABLE 7 - MINIMUM DS1 THRESHOLD RANGES FOR PARAMETERS 30

TABLE 8 - MINIMUM DS1 STORAGE REGISTERS 31

TABLE 9 - THRESHOLDING FOR REQUIRED DS1 PARAMETERS..... 31

American National Standard for Telecommunications –

DS1 – Layer 1 In-Service Digital Transmission Performance Monitoring

1 Scope, Purpose, & Application

1.1 Scope

This standard provides uniform functions and requirements for performance monitoring (PM) and alarm/status monitoring for digital transmission signals at DS1 rate. It is intended to be used in conjunction with the core document ATIS-0300231.

1.2 Purpose

This standard is written to provide the minimal set of requirements to provide for uniform and consistent performance monitoring and alarm/status monitoring for the DS1 digital transmission rate. This standard provides definitions for performance primitives (anomalies and defects), performance parameters, and performance failures.

1.3 Application

The application of this standard is as follows:

- It provides definitions of performance and alarm/status parameters, both required and optional, applicable to network elements providing non-intrusive transmission monitoring at the DS1 digital rate;
- It describes the functions related to the collection, storage, thresholding, and reporting of performance monitoring information; and
- It establishes the performance monitoring functions that may be used at network interfaces between telecommunication carriers, at network boundaries, and at customer premises to permit compatible maintenance operations.

Although this standard establishes ranges over which transmission performance can be measured, it does not establish any requirements or guidelines for levels of performance. This standard refers to other American National Standards that address digital transmission and performance criteria.

2 Normative References

The following standards contain provisions, which through reference in this text constitute provisions of this American National Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this American National Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.

ATIS-0900102, *Digital Hierarchy – Electrical Interfaces*¹.

¹ This document is available from the Alliance for Telecommunications Industry Solutions, 1200 G Street N.W., Suite 500, Washington, DC 20005. < <http://www.atis.org> >